



Battery and Charger Owner's Manual

Thank you for choosing an EBO conversion kit. In order to correctly use, store, and maintain your battery please read this user manual carefully.

Care

1. Do not short circuit your battery by directly connecting the positive and negative poles.
2. Do not expose the battery to fire or heat sources.
3. Do not shake, impact, or crush violently.
4. Do not submerge your battery in liquid of any kind.
5. Ambient charging temperature should be 32°F - 110°F.
6. Ambient discharge temperature should be 0°F - 110°F.
7. Do not leave a fully charged battery connected to a charger.
8. Do not disassemble the Li-ion Battery by yourself. Contact a qualified technician.


Storage, Maintenance, and Transportation

1. When the battery is being stored for a prolonged period, charge the battery to 50% and charge the battery every two to three months.
2. Store the battery in a clean, dry, and ventilated space.
3. Store the battery between 32°F - 100°F. Room temperature is best.
4. Remove your battery from your bike and keep it inside your vehicle during transport to reduce the risk of damage.

Charging

1. Plug the charger output into the charge port of the battery and then plug the AC power plug of the charger into the electrical socket.
2. When the battery is charging the charger light will turn red. When the light is green the battery is fully charged or not charging.
3. Only use the supplied charger. Do not cover the charger while in use.
4. If the battery becomes extremely hot, emits an odor, or becomes deformed discontinue use and take it to a qualified service technician.
5. Disconnect a fully charged battery from the charger.
6. Do not stick your key in the charge port. Make sure to unplug your charger before riding.

Dolphin Battery



Rack Battery



Battery Level Indicator


Rear Light On/Off Button



Power Switch

Rear Light Release

Charge Port



Power Terminal

Lock

Controller Storage

Fuse Access